

Appl. No. 10/611,804  
Amdt. dated 2/28/05  
Reply to Office Action of 12/14/2004

---

**Amendments to the Claims:**

Please amend the claims as follows:

Claims 1-9 (Canceled):

10. (New): A combination of a child safety product and a visible information carrier, wherein the child safety product comprises:

- (a) a recess including an anchorage formed in the child safety product and dimensioned to receive an information carrier; and
- (b) a flexible tether carried by the anchorage for connecting the information carrier to the anchorage, whereby the information carrier can be stored in the recess when not in use and removed from the recess when in use without detaching the information carrier from the tether.

11. (New): The combination of claim 10, wherein the recess is integrally-formed with the child safety product.

Appl. No. 10/611,804  
Amdt. dated 2/28/05  
Reply to Office Action of 12/14/2004

---

12. (New): The combination of claim 10, wherein the flexible tether allows the information carrier to be positioned at various angles for easy reading without detaching the tether from the information carrier.

13. (New): The combination of claim 10, wherein the child safety product further includes a closure for covering the recess, enclosing the information carrier therein.

14. (New): The combination of claim 13, wherein the closure has a shape that conforms to the shape of the surface of the child safety product where the recess is formed for providing a smooth, uniform appearance when installed over the recess.

15. (New): The combination of claim 10, wherein the child safety product is a child safety seat having a rigid structure.

16. (New): The combination of claim 15, wherein the structure includes a front wall having a convex shape, the recess being formed in the front wall.

Appl. No. 10/611,804  
Amdt. dated 2/28/05  
Reply to Office Action of 12/14/2004

---

17. (New): The combination of claim 16, wherein the child safety seat further includes a closure for covering the recess, enclosing the information carrier therein.

18. (New): The combination of claim 17, wherein the closure has a shape that conforms to the shape of the front wall for providing a smooth, uniform appearance when installed over the recess.

19. (New): The combination of claim 10, wherein the visible information carrier is a booklet.

20. (New): The combination of claim 10, wherein the visible information carrier is a single sheet.